

Table 2: TEG variable. Before (TEG1) and after (TEG2) intervention (mean \pm SD)

TEG variable	DDAVP group			PLT group			P value*
	TEG1	TEG2	Δ	TEG1	TEG2	Δ	
Split point (SP; min)	3.4 \pm .84	4.1 \pm 1.5	.71 \pm 1.3	3.9 \pm 1.3	3.8 \pm .82	-.09 \pm 1.5	.045
Reaction time (r; min)	3.7 \pm .92	4.4 \pm 1.7	.69 \pm 1.5	4.3 \pm 1.4	4.1 \pm .88	-.17 \pm 1.7	.06
Clot formation time (K; min)	3.3 \pm 8.4	1.8 \pm .72	-1.5 \pm 8.4	1.6 \pm .76	1.1 \pm .22	-.50 \pm .71	.49
Angle (α ; degree)	69.2 \pm 5.4	67.1 \pm 7.7	-2.1 \pm 6	68.5 \pm 7	73.8 \pm 2.9	5.4 \pm 6.3	< .0001
MA (mm)	62.5 \pm 5.5	61.3 \pm 5.9	-1.2 \pm 3.8	63 \pm 6.8	67.8 \pm 4.2	4.8 \pm 6.1	< .0001
G value (dynes/cm ²)	8.6 \pm 2.0	8.3 \pm 2	-.34 \pm 1.4	8.9 \pm 2.4	10.8 \pm 2.1	1.8 \pm 2.1	< .0001
EPL (%)	.90 \pm 1.5	.70 \pm 1.1	-.19 \pm 1.4	2.5 \pm 3.9	2.4 \pm 2.7	-.11 \pm 3.7	.92
ADP inhibition (%)	85.7 \pm 12.0	60.8 \pm 26.4	-24.9 \pm 25	88.9 \pm 12.7	70.3 \pm 21.7	-18.5 \pm 19	.28
AA inhibition (%)	45.2 \pm 32.5	33.4 \pm 28.2	-11.8 \pm 34.0	40.3 \pm 33.1	30.9 \pm 28.7	-9.9 \pm 22.0	.80

*P value is comparing change in TEG parameters between PT and DDAVP group